

Empisal

INTERNATIONAL
KNITWEAR
COLLECTION

BOOK AU 10

LONDON
PARIS
HAMBURG
NEW YORK
SYDNEY



Pattern No. AU10-2 See Page 10
Pattern No. AU10-3 See Page 10



Pattern No. AU10-4 See Page 12

Pattern No. AU10-5 See Page 11



Pattern No. AU10-6 See Page 12

Pattern No. AU10-7 See Page 13



Pattern No. AU10-8 See Page 14



Pattern No. AU10-9 See Page 15



Pattern No. AU10-10 See Page 16

Pattern No. AU10-11 See Page 17



Pattern No. AU10-12 See Page 17
Pattern No. AU10-13 See Page 18

Pattern No. AU10-14 See Page 18
Pattern No. AU10-15 See Page 19



OVERALL SET.

Pattern No. AU10-1 — Cover



MATERIALS: OVERALLS: 10 (11—11—12) balls Lincoln or Cleckheaton 8 ply MC.
1(1—1—1) balls Lincoln or Cleckheaton 8 ply CC.
SWEATER: 6(6—7—7) balls Lincoln or Cleckheaton 8 ply MC.
1(1—1—1) balls Lincoln or Cleckheaton 8 ply CC. 4 in. zipper. 2 buttons. No. 9 crochet hook.

MEASUREMENTS: To fit 20(21—22—23) ins. Chest.
Overalls — length 19(19½—20—20½) ins.
Sweater — length 9½(9¾—10½—11½) ins.
Sleeve — length 6½(7—7½—8) ins.

TENSION: T10 = 6 sts and 8 rows to 1 in.

SWEATER:

BACK: Using CC. cast on 65(69—71—75) sts. in 1 x 1 rib. Work 10 rows inc 1 st at end of last row. R/C on 0. On T10 knit in st st for 32(32—36—42) rows. SHAPE RAGLAN ARMHOLES: Cast off 4(4—3—3) sts at the beg of the next 2 rows. Dec 1 st at ea end (inside edge st) on the next and foll alt rows to 22 (24—26—28) sts. Take work off machine on waste yarn.

FRONT: Work as Back until 34(36—38—40) sts rem. SHAPE NECK: Push 21(23—25—27) sts furthest from carr to E pos. Cams on 111 (KH91) on 2 (KH600). Work on rem 13 sts dec 1 st at neck edge on the next 5 rows AT THE SAME TIME cont raglan shaping until 1 st rem and fasten off. Cams on 1 (KH91) on 3 (KH600). Take centre 8(10—12—14) sts off machine on waste yarn. Work other side to correspond reversing shapings.

SLEEVES: Cast on 37(37—39—41) sts in 1 x 1 rib & rib 10 rows. Inc 3(3—5—3) sts evenly in last row. R/C on 0. On T10 work 12 rows of fair isle as in overalls but reversing colors. Inc 1 st at ea end of the 13th and every foll 8th row to 48(50—54—56) sts. Cont. straight to row 44(48—52—56). SHAPE RAGLAN: Cast off 3 sts at the beg of the next 2 rows. Dec as for Back until 6(6—8—8) sts rem. Take off machine on waste yarn.

NECKBAND: Join raglan seams except left back seam. Pick up 66(70—78—83) sts around neck edge and knit 1 row. Transfer needles for 1 x 1 rib and work 8 rows. Cast off loosely by hand.

OVERALLS:

Using MC. cast on with a selvedge edge 40(40—48—48) sts. Knit 5(5—5—7) rows making 2 buttonholes in 2nd row over the 9th and 10th sts from ea edge. Join in CC. and knit 24 rows of fair isle patt as per chart, then knit plain to row 32(32—34—36). Cast on 48 (50—48—52) sts at the beg of the next 2 rows. Cont in st st on these 136(140—144—152) sts for 2 rows. Make eyelet holes in next row by transferring every 5th st to the 6th needle. Knit 18 rows. Inc 1 st ea end of the next row and every foll 6th row to 144(148—152—160) sts. Knit 5 rows. Cont inc ea end of every 6th row AT THE SAME TIME inc 1 st at ea side of centre st on the next and every foll 6th row to 168 (172—176—184) sts. SHAPE LEG: Work on the first 83(85—87—91) sts. Push rem sts into E pos. Cams on 111 (KH91) on 2 (KH600). R/C on 0. Dec 1 st at the beg of the next row. Knit 3 rows. Dec 1 st at ea end of the next and every foll 4th row to 60(62—64—68)sts. Cont straight to row 72(76—80—84). Cast off. Join yarn to rem sts. Cast off the centre 2 sts. Work other leg to correspond.

STRAPS: (Make 2): Cast on 9 sts in 1 x 1 rib and knit 10(10½—11—11) ins and cast off. Sew buttons to one end.

TO MAKE UP: SWEATER: Join in zipper to neckband and raglan seam. Join rem of seam. Join sleeve and side seams. OVERALLS: Sew up back and leg seams. Sew straps to back. Work 2 rows of d.c. round all edges. Using double MC. make a crochet chain 36 ins long and thread through holes at waist. Trim ends with small tassels 2 ins long.

12 11				MC.				
10	X		X	X	X		X	X
9	X		X		X		X	
8	X		X		X		X	
7	X		X	X	X		X	X
6 5				MC.				
4	X	X	X		X	X	X	
3	X		X		X		X	
2	X		X		X		X	
1	X	X	X		X	X	X	
	1	2	3	4	5	6	7	8
X	CC							
	MC							

CHEQUERBOARD ROMPER SUIT.

Pattern No. AU10-2.

MATERIALS: 7 balls SIRDAR Fontein Crepe 4 ply Main Color (MC.)
3 balls SIRDAR Fontein Crepe 4 ply Contrast (CC.)
¾" elastic, 6 buttons, Size 3.00 (10) crochet hook.

MEASUREMENTS: To fit chest size 17 ins. (Actual meas. 19 ins). Jacket length 9½ ins. Sleeve seam 5½ ins. Pants-length front crutch 8½ ins.

TENSION: T6.1 = 7½ sts and 10 rows to 1 in over st st. 8 sts and 10 rows to 1 in over patt.

PATTERN: (On last row before patt, change stitch selector knob to MC., work 1 row from left to right. Thread CC through branch tension and allow to hang at side of fabric ready to be caught into the Weaving Guides. (rep after every row). Press in both Part Buttons; Weaving brushes on W. Needle pos selector on MC. Press buttons 1.2.3.4. Reverse switch on plus. (before each row set lever) Knit 4 rows. Reverse switch on minus. Knit 4 rows. (8 rows to 1 patt).

JACKET:

BACK: With selvedge edge cast on 76 sts in MC. On T6.1 knit 2 rows st st, then change to patt and knit to row 60. R/C on 0. SHAPE RAGLANS: Cast off 8 sts at the beg of the next 2 rows, then dec 1 st at ea end of the next and every foll alt row until 24 sts rem. Cast off.

LEFT FRONT: Cast on 40 sts and knit as for BACK until R/C reads 61 ending at side edge. SHAPE RAGLAN: R/C on 0. Cast off 8 sts at the beg of the next row, then dec 1 st at side edge of every alt row until 15 rows ending front edge. SHAPE NECK: Cast off 8 sts at the beg of the next row. Dec 1 st at neck edge of every alt row 4 times, then cont raglan shaping only until 2 sts rem. Fasten off.

RIGHT FRONT: Work as Left Front reversing shapings.

SLEEVES: Cast on 48 sts in MC. and knit 2 rows of st st, then change to patt and inc 1 st at ea end on the 5th and every foll 6th row until 60 sts, then cont straight to 52 rows. SHAPE RAGLANS: as in Back until 8 sts rem. Cast off.

TO MAKE UP: Press on wrong side with warm iron and damp cloth. Sew in Raglans. Sew up side and sleeve seams, matching patt. With right side facing, MC. work 1 row of d.c. around all edges. Make position of 6 buttons on left front, top one at neck edge and 5 more on ea 3rd patt square. Work one round d.c., making buttonholes to match markers as follows — d.c. to button hole pos, 2 ch miss 2 ch, 1 d.c. in ea d.c. to next buttonhole. Rep to end.

PANTS:

BACK: Using selvedge edge and MC., cast on 18 sts and work in st st, inc 1 st at ea end of every row until 78 sts. (30) rows. Work 24 rows straight then dec 1 st at ea end of the next and every foll 6th row until 70 sts, then cont straight to 80 rows.** SHAPE BACK: Cams on Holding. Push 4 needles at end opp carr to E pos and knit 1 row. Rep this row 7 times. NEXT ROW: (KH91) Cam nearest the knitting on 11 or (KH600) Cam on 1 and push needles furthest from carr from E to C pos) Knit 1 row. Cams on knit. Knit 1 row. ***On T5 knit 8 rows; T4 knit 8 rows. Cast off loosely.

FRONT: Knit as Back to **. Complete as Back from ***.

LEGBANDS: Sew up side seams. With wrong side facing, pick up 80 sts around leg. Work 8 rows in patt. Change to MC. and T4 and knit 8 rows in st st. Cast off loosely.

TO MAKE UP: Sew up crutch seam. Turn hems at waist and legs to inside and catch down. Thread elastic through waist. Press lightly on wrong side with warm iron and damp cloth.

STRIPED SWEATER, LONG PANTS & CAP.

Pattern No. AU10-3.

MATERIALS: SWEATER: 3 balls SIRDAR 3 ply Courtelle or Bri-Nylon MC.
2 balls SIRDAR 3 ply Courtelle or Bri-Nylon CC.
PANTS: 3 balls SIRDAR 3 ply Courtelle or Bri-Nylon.
8 Buttons, ½ in. elastic for waist. Size 10 crochet hook.

MEASUREMENTS: To fit 19 in chest (Actual meas. 21 ins). Sweater length 11½ ins. Sleeve seam 6½ ins. Inside leg seam to ankle 8 ins. Front crotch seam 8 in.

TENSION: T5 = 8 sts and 10 rows to 1 in.

SWEATER:

BACK: Arrange 83 needles for 1 x 1 rib. Using MC. Rib 12 rows. Transfer sts to main bed. R/C on 0. T5 commence striped patt of 2 rows MC., 2 rows CC. Knit 54 rows. R/C on 0.** SHAPE RAGLANS: Cast off 5 sts at the beg of the next 2 rows. Dec 1 st at ea end every alt row until 27 sts rem. Take work off on waste yarn.

FRONT: Work as Back to **. Work 28 rows shaping raglans as for Back until 47 sts rem. SHAPE NECK: Cams on 111 (KH91) on 2 (KH600). Push 28 sts furthest from carr to E pos. On rem sts dec 1 st at neck edge on next and every alt row until 4 sts rem AT THE SAME TIME cont raglan shaping as before until 2 sts rem. Knit 2 tog. and fasten off. Cast off the centre 9 sts and knit other side to correspond reversing all shapings.

SLEEVES: Using MC. cast on 43 sts and work in K1 P1 rib as for Back for 16 rows. Transfer sts to main bed. Knit in striped patt on T5 inc 1 st at ea end of the 5th and every foll 6th row until 61 sts, then work straight until 54 rows. R/C on 0. SHAPE RAGLANS: Cast off 5 sts at the beg of the next 2 rows. Work 4 rows straight, then dec 1 st at ea end of the next and every foll alt row until 7 sts rem. Take work off machine on waste yarn.

BACK NECKBAND: Join 2 back raglan seams. Place sts from waste back onto machine and arrange needles for 1 x 1 rib. Rib 7 rows. Cast off.

FRONT NECKBAND: Join front raglans for 2 ins from armhole end. Using MC. pick up 14 sts down left side of neck, 9 sts from centre and 14 sts up right side of neck. Knit 7 rows of rib and cast off.

TO MAKE UP: Join side and sleeve seams. Using MC. work 2 rows of d.c. along sleeve edge of front raglans. Mark pos of 4 buttons on ea sleeve. Work 2 rows d.c. along front edge of raglan making buttonholes to match markers thus — d.c. to button pos, 2 ch, miss 2 d.c., d.c. to next buttonhole pos.

CAP:

Using MC. cast on 133 sts and arrange for 1 x 1 rib. Work 30 rows. R/C on 0. T5. In St st and striped patt work 40 rows. Transfer sts to No. 11 needles and SHAPE TOP: *knit 10, k2 tog.* Rep from * to last st. k1. NEXT ROW: P1, * P2 tog, P9. Rep from * to end. Cont dec in this manner, working less sts between decs ea time, until the row knit 2 tog to end. Break off yarn, draw end through rem sts and fasten off securely. Use end to join back seam. Make pom pom of CC and attach to crown of cap. Fold ribbing half to right side.

PANTS:

LEFT LEG: Using T3 cast on 81 sts and work 24 rows. On T5 R/C on 0 carr on the right, work 2 rows. SHAPE BACK: Cams on 111 (KH91) on 2 (KH600) work on 20 needles on right side. Push rem sts into E pos. Knit 2 rows (always putting yarn round 1st inner needle in E pos to avoid making a hole). *Bring 20 more needles into B pos and knit 2 rows.* Rep from * to * once more. Cams on 1 (KH91) on 3 (KH600) Knit 5 rows. Then inc 1 st at ea end of the next and foll 12th row until 93 sts. Work 10 rows straight. SHAPE LEG: Dec 1 st at ea end of the next and foll alt rows until 45 sts then cont straight until R/C reads 162. Change to 1 x 1 rib and work 9 rows ending at left hand of carr.

FOOT: Change to st st and put 23 sts at right on to waste yarn. Pick up an extra loop to make 23 sts and work 20 rows. **Cams on 11 (KH91) on 1 (KH600). Push 6 sts at ea side into E pos then push 1 needle back to B pos at the end of ea row until all sts are back in B pos.** Work 20 rows without shaping, then work heel by rep from ** to **. Take work off machine on waste yarn and graft neatly.

RIGHT LEG: Work as for Left Leg, working 1 row instead of 2 rows before shaping back, having carr at right end before shaping foot and leaving sts on waste yarn for back of foot on left side instead of right.

TO MAKE UP: Join Crutch seams; join leg seams. Turn hem at waist in half to wrong side and sl st neatly in place. Thread elastic through to fit. Join foot seam. Do not press.

VEST & PANTS.

Pattern No. AU10-4.

MATERIALS: VEST: 2(3—3) balls Patons Feathersoft Baby Nylon.
1 yd narrow Baby Ribbon.
PANTS: 2 balls Patons Feathersoft Baby Nylon.
Elastic for waist.

MEASUREMENTS: VEST: to fit 16(18—20) in. chest. Actual measurements, 16½(18½—20½) ins. Length 10(11—12) ins. PANTS: With all round 19½ (21½—23½) ins. Length to crutch over front 7½(8½—9½) ins. (adjustable).

TENSION: T6.1 = 8 sts and 12 rows to 1 in.

VEST:

MAIN PART: Cast on with a selvedge edge 68(76—84) sts. On T5 knit 16 rows. R/C on 0. On T6.1 knit 80 (86—92) rows. Place markers here for armholes. Knit until R/C reads 114(126—138) rows. Carr at right. SHAPE SHOULDERS: (Always take yarn round 1st inner needle in E pos to avoid making a hole). Cams on 111 (KH91) on 2 (KH600). Push 8(9—10) needles furthest from carr into E pos on the next 2 rows and 7(8—9) on the next 4 rows. Cast off rem 24(26—28) centre sts. Break yarn. Take 22(25—28) sts at left off machine on waste yarn. Cams on 11 (KH91) on 1 (KH600). RIGHT PART: Carr at left (always take yarn round 1st inner needle in E pos) push 7(8—9) inner needles at left from E to C pos. Knit 2 rows. Push 7(8—9) needles from E to C pos and inc 1 st at the beg of the next row. Knit 1 row. Push rem 8(9—10) sts to C pos inc 1 st at the beg of the next and every foll alt row 18(21—24) times altog. Knit 1 row. Place marker at right edge for armhole. Inc 1 st at the beg of the next and every foll alt row 8 times altog. 49(55—61) sts. Knit 65(71—77) rows without shaping. On T5 knit 16 rows and cast off.

LEFT PART: Wrong side facing replace 22(25—28) sts from waste onto machine. Knit as Right Part reversing all shapings.

SLEEVES: (Note — When dec or inc on sleeves, pos A needles are counted as sts.) Cast on with a selvedge edge 59(71—83) sts. On T6.1 knit 1 row. Transfer the 3rd and every foll 3rd st onto its adjacent needle.

Push empty needles into A pos. On T3.1 dec 1 st at the beg of the next 12(14—16) rows. Knit 2 rows. Inc 1 st at the beg of the next 12(14—16) rows. Knit 2 rows. Take work off machine on waste yarn.

TO MAKE UP: Sew selvedge edge of sleeves to vest between markers onto right side, fold and back stitch through open loops. Press lightly omitting sleeves. Join side and sleeve seams. Press. Work 1 row of d.c. and 1 row of shell stitch along edges. Sew on ribbon as illust.

PANTS:

Bring up 80(86—95) needles into B pos. Push the 3rd and every foll 3rd needle into A pos. On T6.1 cast on with waste yarn on needles in B pos. Knit a few rows finishing at right side. R/C on 0. On T3.1 with main yarn knit 22 rows. Bring empty needles back into B pos and close hem. Carr at right. 2nd SIZE: inc 1 st at ea end. 3rd SIZE: inc 1 st at right edge. ALL SIZES: 80(88—96). On T6.1 knit 52(58—64) rows without shaping (adjust length here). SHAPE LEG OPENINGS: Cast off 14(15—16) sts at the beg of the next 2 rows; 4 sts at the beg of the next 2 rows; 2 sts at the beg of the next 2(4—6) rows and dec 1 st at the beg of the next 4(6—8) rows. Knit 2 rows. Dec 1 st at the beg of the next 2 rows and foll 3rd and 4th rows (32 sts rem). Knit 8(10—12) rows without shaping. Cast on 2 sts at the beg of the next 22(24—26) rows and inc 1 st at the beg of the next 4(8—12) rows. 80(88—96) sts. Knit 50(56—62) rows without shaping (adjust length here). SHAPE BACK: Cams on 11 (KH91) on 1 (KH600) (always take yarn around 1st inner needle in E pos) Push 5(5—6) needles furthest from carr into E pos on the next 12 rows. Push needles furthest from carr from E to C pos on the next 2 rows. 2nd SIZE: Dec 1 st at ea end. 3rd SIZE: Dec 1 st at right edge. ALL SIZES: 80(86—95) sts rem. Transfer the 3rd and every foll 3rd st onto its adjacent needle and push empty needles into A pos. On T3.1 knit 22 rows and cast off.

TO MAKE UP: Fold rib and catch down inside. Join side seams. Work 1 row of d.c. and 1 row of shell stitch around leg openings. Press lightly omitting rib. Insert elastic in waist and shirring elastic in leg openings if desired.

COT COVER.

Pattern No. AU10-5.

MATERIALS: 13 balls Patons Bluebell Crepe MC.
7 balls Patons Bluebell Crepe CC.
No. 9 crochet hook.

MEASUREMENTS: 28 x 40 ins.

Cast on with a selvedge edge 196 sts. On T8 knit 1 row. Knit 400 rows in Fair Isle patt as per graph. Knit 1 row and cast off. Work 4 rows of d.c. around cover inc st corners.

16				X		X		
15				X		X		
14			X				X	
13			X				X	
12		X						X
11		X						X
10	X				X			
9	X				X			
8		X						X
7		X						X
6			X				X	
5			X				X	
4				X		X		
3				X		X		
2	X				X			
1	X				X			
	1	2	3	4	5	6	7	8
X	CC							
	MC							

ROMPER SUIT.

Pattern No. AU10-6.

MATERIALS: 3 balls Patons Baby Wool with Bri-Nylon 3 ply MC.
2 balls Patons Baby Wool with Bri-Nylon 3 ply CC.
4 small buttons in MC and 4 in CC. No. 14 crochet hook.

MEASUREMENTS: to fit 18—20" chest.

TENSION: T5.1 = 8 sts and 12¾ rows to 1 in.

PATTERN: *Press button 3, set lever, Lacemaker from L to R.
Press button 6, set lever, Lacemaker from R to L. Knit 2 rows.
Press button 2, set lever, Lacemaker from L to R.
Press button 7, set lever, Lacemaker from R to L. Knit 4 rows.*

FRONT: Cast on with waste yarn 144 sts and knit a few rows. On T5.1 knit 86 rows (MC.). Take work off machine with waste yarn. Bring up 84 needles and put work back onto machine by putting 2 sts on the 1st 30 needles, 1 st ea on the next 24 needles and 2 sts on the last 30 needles. Knit 2 rows. Cast off 30 sts at the beg of the next 2 rows.* Work 5 rows and cast off. **Put sts on waste back onto machine with right side facing putting 2 sts on the 1st 33 needles, 1 st on the next 12 needles and 2 sts on the next 33 needles. On T4.1 work 9 rows. Take work off on waste yarn. Reverse work and with wrong side facing return to machine.**

LEFT FRONT: Push 37 sts on the right into A pos by knitting them off manually on waste yarn. R/C on 0. T5.1. Using CC. knit in lace patt on rem 41 sts making a buttonhole in every 10th row on side required (4 in all), knit 15 rows. SHAPE ARMHOLE: Cast off 5 sts on left side. Dec 1 st at armhole edge on every alt row 4 times. Knit to row 44. Cast off 10 sts at neck edge on the next row. Dec 1 st at same edge on the next 3 rows. Knit 6 rows. SHAPE SHOULDER: Cast off 9 sts at armhole edge. Knit 1 row. Cast off rem sts.

RIGHT FRONT: Cast on 4 sts on left edge of rem 37 sts and work as for Left Front reversing shapings and omitting buttonholes. (NOTE: do not work patt on the 4 cast-on sts.)

BACK: Work as for Front to*. Knit 3 more rows and make a buttonhole 7 sts in from ea end. Knit 2 rows and cast off. Work from ** to ** for front. Using CC. R/C on 0. T5.1 work in patt for 15 rows. SHAPE ARMHOLE: Cast off 5 sts at the beg of the next 2 rows. Dec 1 st at ea end of every alt row 4 times. Knit to row 52. SHAPE SHOULDER: Cast off 9 sts at the beg of the next 4 rows. Cast off rem sts.

LEG BANDS: Sew up side seams. Pick up 68 sts evenly round leg, right side facing. On T4.1 work 20 rows and cast off.

SLEEVES: Cast on 82 sts in waste yarn and knit a few rows. R/C on 0. T5.1. Knit 2 rows. Work 6 rows in patt. Dec 1 st at ea end of every row until 26 sts rem. Cast off.

SLEEVE BANDS: Put sts from waste back onto machine right side facing, reducing sts evenly to 42. On T4.1 work 20 rows and cast off.

COLLAR: With CC. cast on with a selvedge edge 82 sts. On T5.1 knit 2 rows. Knit 15 rows in patt and cast off.

MAKE UP: Sew up shoulders. Sew in sleeves. Sew up side and sleeve seams. Sew on collar easing same in to fit neckline. Sew on buttons. Work 2 rows of d.c. round all edges. Fold arm and leg bands in half and catch down inside.

ANGEL TOP.

Pattern No. AU10-7.

MATERIALS: 4(5—5) Patons Patonyle MC.
1(1—1) Patons Patonyle CC.
4 small buttons.

MEASUREMENTS: To fit 16 (18—20) in. chest. Actual meas. 18(20—22) ins. Length 10(11—11¾) ins. Sleeve seam 5(6¼—7½) ins.

TENSION: T6 = 14½ and 20 rows to 2 ins.

BACK: Cast on 132(146—160) sts in waste yarn. On T8 knit a few rows in waste carr ending at right. On T6 **Make a picot edge as foll:— With MC. knit 4 rows; change to CC. knit 2 rows. *transfer the 2nd and every foll alt st onto its adjacent needle leaving empty needles in B pos.* Knit 2 rows. With MC. knit 4 rows. Turn up hem by placing the loops from 1st row knitted in MC. onto the corresponding needles. Knit 4 rows. When knitting the next row knit in a length of sewing cotton in contrast color with the main yarn for a marking row. Knit 3 rows. Change to CC. and knit 2 rows. Rep from * to * and knit 2 rows. Change to MC. and knit 4 rows. Turn up hem by picking up loops from marked row and placing them on corresponding needles.** R/C on 0. With MC. knit 48(54—60) rows. Take work off machine on waste yarn.

YOKE: Bring 67(74—81) needles into B pos. With wrong side facing, replace sts from waste back onto machine as foll: 1 st on 1st needle, 2 sts on the next 65(72—79) needles, ending with 1 st on last needle. Knit 12 rows MC. SHAPE ARMHOLES: Cast off 3 sts at the beg of the next 2 rows; 2 sts at the beg of the next 4 rows. ***Dec 1 st at the beg of the next 2 rows and the foll 3rd and 4th row. Knit 0(4—4) rows. BACK OPENING: 1st & 3rd SIZES ONLY: Transfer centre st to adjacent needle at left. ALL SIZES: Cams on Holding. Push 24(28—31) sts furthest from carr to E pos. Knit on rem sts. Knit 2(16—22) rows without shaping. 1st SIZE ONLY: Dec 1 st at the beg of the next row. Knit 13 rows without shaping. ALL SIZES: 40(44—50) rows show on R/C and carr is at right. SHAPE SHOULDER: Cast off 6(7—8) sts at the beg of the next and foll alt row. Knit 1 row. Cast off rem 11(14—15) sts. Knit other side to correspond reversing all shapings.

FRONT: Knit as Back to ***. Dec 1 st at the beg of the next 2 rows and every foll 3rd and 4th row 2(1—1) times altog. 45(54—61) sts rem. Knit 0(8—12) rows. Carr at right. SHAPE NECK: Cams on holding. Push 27(32—37) sts at left into E pos. Knit on rem sts as foll: Knit 1 row; cast off 2(3—3) sts at the beg of row. Knit 1 row. Cast off 1(2—2) sts at the beg of the next row. Knit 1 row. Dec 1 st at the beg of the next and foll alt row. Knit 4(4—6) rows without shaping. R/C reads 38(42—48). Carr at right. SHAPE SHOULDER: Cast off 6(7—8) sts at the beg of the next and foll alt row. Cast off the centre 9(10—13) sts and knit on rem sts to correspond with other side reversing all shapings.

SLEEVES: Cast on 37(40—44) sts in waste. Knit a few rows on T8 ending with carr on right. On T6 knit from ** to ** of BACK. R/C on 0. On T6.2 with MC. knit inc 1 st at the beg of the next 2 rows, then inc 1 st at ea end of every foll 6th (8th—10th) row to 49(52—56) sts. Knit 6(8—12) rows without shaping. 38(50—64) rows. Carr at right. SHAPE TOP: Cast off 3 sts at the beg of the next 4(4—2) rows; 2 sts at the beg of the next 2 rows; dec 1 st at beg of the next 6(8—8) rows. Cast off 2 sts at the beg of the next 4 (2—10) rows; 3 sts at the beg of the next 2(4—2) rows. Cast off rem 12 sts.

COLLAR: Using MC. cast on with selvedge edge 25(29—33) sts. On T6.2 knit 2 rows inc 1 st at the beg of the next 8 rows. 33(37—41) sts. On T4.2 knit 1 row. On T6.2 *Knit 3 rows. Change to CC. and knit 2 rows. Transfer the 2nd and every foll alt st to adjacent needle leaving empty needles in B pos. Knit 2 rows. Change to MC and knit 4 rows.* Cast off. With wrong side facing pick up 9 sts along right shaped edge of collar. Now foll instructions from * to *. Pick up 9 sts on left shaped edge and foll inst from * to *. Knit another piece the same.

TO MAKE UP: Press lightly. Join shoulder seams. Set in sleeves. Sew up side and sleeve seams. Work 2 rows of d.c. around back opening making 4 buttonhole loops on the right side on 2nd row. Pin collar to garment and attach same by working 1 row of d.c. around neck opening. Sew on buttons.

ROMPER SUIT.

Pattern No. AU10-8.

MATERIALS: TEE SHIRT: 2 (3—3) balls Patons Gem Knitting Cotton White (W).
1(2—2) balls Patons Gem Knitting Cotton Blue (B).
3 buttons.
ROMPERS: 3(4—4) balls Patons Gem Knitting Cotton Blue (B).
2 buttons and elastic for waist.

MEASUREMENTS: TEE SHIRT: To fit 18(20—22) in. chest. Length from centre back 11 (12½—14) ins. Sleeve seam 2½ ins.

ROMPERS: Length from back waist to front waist 17(18—19) ins.

TENSION: T6 = 16 sts and 20 rows to 2 ins.

PATTERN: *Knit 4 rows in B and 6 rows in W.*

TEE SHIRT:

BACK: Using W cast on with a selvedge edge 74(82—90) sts. On T4 knit 14 rows. Carr at right. R/C on 0. On T6 knit 6 rows. Change to B and continue to knit in stripe patt for 14 rows. Keeping stripe patt correct inc 1 st at ea end of the next alt row and every foll 12th(14th—16th) row 4 times altog. 82(90—98) sts. Knit 8(12—16) rows without shaping. 66(76—86) rows. Carr at right. SHAPE ARMHOLES: Keeping continuity of patt cast off 4 sts at the beg of the next 2 rows; 2 sts at the beg of the next 2 rows and dec 1 st at the beg of the next 8(10—12) rows. 62(68—74) sts rem. **Knit 26(28—32) rows. Carr at right. SHAPE SHOULDERS: Cast off 5(5—6) sts at the beg of the next 2(6—2) rows and 4(4—5) sts at the beg of the next 6(2—6) rows. Cast off rem 28(30—32) sts.

FRONT: Knit as BACK to **. Knit 18(18—20) rows without shaping. 96(108—122) rows. Carr at right. SHAPE NECK: Cams on Holding. Push into E pos 36(39—42) sts at the left. On rem sts knit 1 row. Cast off 3 sts at the beg of row; knit 1 row. Cast off 2 sts at the beg of the next and foll alt row. Knit 1 row. Dec 1 st at beg of the next and every foll alt row 2 (3—4) times altog. 17(19—21) sts rem. Carr at right. SHAPE SHOULDER: Cast off 5(5—6) sts at the beg of the next row. Knit 1 row. Cast off 4(5—5) sts at the beg of the next and foll alt row. Knit 1 row. Cast off rem 4(4—5) sts. Cast off the centre 10 sts. Cams on knit. Knit other side to correspond reversing all shapings.

SLEEVES: Using W cast on 50(56—62) sts with selvedge edge. On T3 knit 8 rows. Carr at right. R/C on 0. On T6 knit 6 rows. Working in stripe patt knit 1 row inc 1 st at ea end of the next row. Rep inc on every foll 4th row 4 times altog. 58(64—70) sts. Knit 6 rows. Carr at right. SHAPE TOP: Cast off 4 sts at the beg of the next 2 rows; 2 sts at beg of the next 4(6—6) rows and dec 1 st at the beg of the next 12(12—16) rows. Cast off 2 sts at the beg of the next 6 rows and 3 sts at beg of the next 2 rows. Cast off rem 12(14—16) sts.

NECKBAND: With W cast on 12 sts with a selvedge edge. On T4 knit required length and cast off.

TO MAKE UP: Pin out to size and press. Join shoulders, leaving 2" opening on left shoulder seam. Sew in sleeves. Sew up side and sleeve seams. Turn up 14 rows at lower edge and 8 rows at sleeve edge and catch down. Sew 1 edge of neckband into pos fold and catch down on inside. Work 2 rows d.c. along edges of shoulder opening making 3 button loops on front edge on 2nd row. Sew on buttons.

ROMPERS:

Bring up 90(96—105) needles into B pos. Push the 2nd and every foll 3rd needle back into A pos. On T6 cast on in waste yarn and knit several rows. Carr at right. R/C on 0. On T3 using B knit 6 rows. Counting from both edges make buttonholes over needles 18 and 19. Knit 14 rows and rep buttonholes over same needles. Knit 6 rows. Bring empty needles back into B pos and close hem. Knit 1 row, carr at right. 2nd SIZE: Inc 1 st at ea end. 3rd SIZE: Inc 1 st at right edge. ALL SIZES: 90(98—106) sts. R/C on 0. On T6 knit 1 row. SHAPE BACK: Cams on 11 (KH91) on 1 (KH600). Push 30 needles furthest from carr into E pos. Knit 1 row (always putting yarn under 1st inner needle in E pos to avoid making a hole) rep once more. Push 6 inner needles from E to C pos on the next 10 rows. Knit 2 rows. Inc 1 st at ea end of the next row and rep inc at ea end of every foll 6th row 6 times altog 102(110—118) sts. Knit 4(10—14) rows. Carr at right. SHAPE LEG OPENING: Cast off 2 sts at beg of the next 14(8—2) rows and 3 sts at beg of the next 16(22—28) rows. 26(28—30) sts rem. Knit 8 rows without shaping inc 1 st at beg of next 4 rows. Cast on 2 sts at beg next 4 rows; 3 sts at beg next 6 rows; 4 sts at beg next 4 rows and 5(6—7) sts at beg next 2 rows and 10(12—14) sts at beg next 2 rows 102(110—118) sts. Knit 5(11—15) rows without shaping. Dec 1 st at ea end of the next row and on every foll 6th row 6 times altog. 90(98—106) sts. rem. Knit 4 rows without shaping. Carr at right. Take off on waste yarn 27(30—33) st at ea end. Knit on remainder 36(38—40) sts and SHAPE BIB: Knit 11 rows then inc 1 st at ea end on the next row; rep inc on every foll 8th(7th—6th) rows 4(5—6) times altog. 44(48—52) sts. Knit 4(6—8) rows without shaping. Carr at right. SHAPE NECK: Cast off 10(12—14) sts in centre and take off machine in waste yarn 17(18—19) sts at the left. Knit right part as foll: knit 1 row. Cast off 3 sts at beg of the next row. Knit 1 row; 2 sts at the beg of the next and foll alt row. Knit 1 row. Dec 1 st at the beg of the next and every alt row 3(4—5) times altog. 7 sts rem. Knit strap long enough to go over shoulder to back buttonhole. Cast off. Carr at left. Wrong side facing put sts from waste back onto machine and knit as right strap reversing shapings.

FRONT WAIST BANDS: Wrong side facing put the 27(30—33) sts from waste back onto the machine. Transfer the 2nd and every foll 3rd st on to its adjacent needle, pushing empty needles into A pos. On T3 knit 26 rows and cast off loosely.

LEGBANDS: Bring into B pos 90(96—102) needles. Push 2nd and every 3rd needle into A pos. On T6 cast on in waste yarn, knit several rows. Carr at right. Using B and T3 knit 26 rows. Bring empty needles from A to B pos. Pick up loops of main yarn in 1st row and place on empty needles and cast off.

TO MAKE UP: Pin out to size and press. Join narrow ends of leg bands. Sew cast off edge to outside of leg. Thread elastic into leg bands and join ends. Put elastic in waist band. Work 4 rows of d.c. around outside of bib edge and straps. Sew ends of waist bands to bib. Finish off buttonholes and sew on buttons.

LAYETTE.

Pattern No. AU10-9.

SHAWL:

MATERIALS: 15 balls Patons Feathersoft Bri-Nylon 3 ply.

MEASUREMENTS: 45 ins sqr.

PATTERNS: MOSS STITCH: Push in left hand Tuck button; press buttons 1.3.5.7. *Reverse switch on plus, set lever, knit 2 rows. Reverse switch on minus, set lever, knit 2 rows.*

LACE PATT**:

Press button 3, set lever, Lacemaker, L to R.
Press button 5, set lever, Lacemaker, R to L.
Press button 2, set lever, Lacemaker, L to R.
Press button 6, set lever, Lacemaker, R to L.
Knit 2 rows.
Press button 3, set lever, Lacemaker, L to R.
Press button 5, set lever, Lacemaker, R to L.
Knit 2 rows.
Press button 7, set lever, Lacemaker, L to R.
Press button 1, set lever, Lacemaker, R to L.
Press button 6, set lever, Lacemaker, L to R.
Press button 2, set lever, Lacemaker, R to L.
Knit 2 rows.
Press button 7, set lever, Lacemaker, L to R.
Press button 1, set lever, Lacemaker, R to L.
Knit 2 rows.**

CENTER PIECE: Cast on with a selvedge edge 4 sts. On T7.2 knit 2 rows. (weight work well). Knit in Moss St. patt inc 1 st at ea end on the next and every foll alt row to row 200 (200 sts). Knit 4 rows straight. R/C on 0. Dec 1 st at ea end on the next and every alt row to row 200 (1 st). Cast off.

LACE EDGE (Make 4): NOTE: inc and dec is done on right side only. Cast on with a selvedge edge 4 sts. On T6.2 knit 2 rows and attach weights. Work in lace patt inc 1 st every row on the next 32 rows (36 sts). Inc 1 st on every alt row to row 72 (56 sts). Inc 1 st every row to row 104 (88 sts). R/C on 0. Cont straight in lace patt to row 224 (28 patts). R/C on 0. Dec 1 st every row to row 32 (56 sts) then 1 st every alt row to row 72 (36 sts) then 1 st every row to row 104 (4 sts). Cast off.

TO MAKE UP: Join lace edge corners and sew edging to Moss st centre. With size 11 crochet hook work 2 rows of d.c. 3rd ROW: 7 ch 1 d.c. in 1st ch (picot) 1 d.c. in next 7 d.c., picot in 7th d.c. Rep all round.

BONNET:

MATERIALS: 1 ball Patons Feathersoft Bri-Nylon 3 ply. Ribbon.

MEASUREMENTS: 11(11½) ins round face; 12(12½) ins across head.

With selvedge edge cast on 88 (94) sts. On T6.2 knit 2 rows. Work in lace patt to row 48(56). R/C on 0. On T7.2 work 2 rows in Moss st. Cast off 32(34) sts ea end on the next 2 rows. Work 48(56) rows of Moss st on rem 24(26) sts. Cast off.

TO MAKE UP: Press lightly and sew cast off edges to sides of back flap. With right side facing and using 11 crochet hook work 2 rows of d.c. round bonnet easing in slightly. 3rd ROW: Work 8(9) picots evenly across front and d.c. only on back of bonnet.

BOOTEES:

MATERIALS: 1 ball Patons Feathersoft Bri-Nylon 3 ply. Ribbon.

MEASUREMENTS: 3¼(4) ins foot.

Cast on 52(60) sts with selvedge edge. On T5.2 knit 2 rows. Inc 1 st ea end of the next 6(8) rows 64(74) sts. Knit 10(12) rows straight. Take off machine in waste yarn 26(30) sts from ea end — centre 12(14) sts rem.

R/C on 0. In Moss st patt — Return 1 st from ea end of waste yarn sts back onto needles 1 and 12 (1 & 14) (this is dec for foot shaping). Knit 2 rows. Cont in this manner until 16(18) sts rem of waste yarn sts ea end. Return all sts back onto needles 42(54) sts. Knit 2 rows. Make ribbon holes. Knit 2 rows. R/C on 0. On T6.2 knit 24(32) rows in Lace patt. Cast off.

TO MAKE UP: Press lightly. Sew underfoot and back seam. With No. 11 crochet hook work 2 rounds of d.c. evenly around top. 3rd ROW: Work 6(7) picots evenly round top.

JACKET:

MATERIALS: 4(5) balls Patons Feathersoft Bri-Nylon 3 ply. 3 small buttons and ribbon. **MEASUREMENTS:** To fit 17 (19) in chest. Length 10(12) ins. Sleeve seam 5½(7½) ins.

BACK: Cast on with a selvedge edge 106(114) sts. On T6.2 knit 2 rows. Work in lace patt to row 72(92). Take work off machine in waste yarn. R/C on 0. On T7.2 and Moss st patt return sts to needles putting 3 sts on 1st needle and 2 sts on all other needles and 3 sts on last needle (52) sts. SIZE B ONLY: 3 sts on 1st needle, 2 sts and occas. 3 on other needles to 64 sts. Knit 2 rows. Make ribbon holes. Work 12(14) rows Moss st. ARMHOLE SHAPING: R/C on 0. Cast off 2 (3) sts at the beg of the next 2 rows. Dec 1 st at ea end of the next and every foll alt row to 16(20) sts. Cast off.

RIGHT SIDE FRONT: Cast on 53(67) sts with a selvedge edge. On T6.2 work same as for Back to row 72(92). R/C on 0. On T7.2 return sts to needles 26(32) sts as for Back. Knit 2 rows. Make ribbon holes. Work 12(14) rows Moss st. R/C on 0. ARMHOLE SHAPING: Cast off 2(3) sts at armhole edge. Dec 1 st at same edge every alt row 20(22) rows. NECK SHAPING: Cast off 3(4) sts at neck edge. Dec 1 st every alt row 3 times AT THE SAME TIME cont to dec 1 st on every alt row at armhole edge until 2 sts rem. Cast off.

LEFT SIDE FRONT: Knit same as Right side reversing all shapings.

SLEEVES: Cast on with a selvedge edge 44(50) sts. On T7.2 knit 2 rows. Cont in Moss st patt to row 72(85). ARMHOLE SHAPING: Cast off 2(3) sts at the beg of the next 2 rows. Dec 1 st at ea end of every alt row until 6(8) sts rem. Cast off.

TO MAKE UP: Press lightly. Sew in sleeves, sew up side and sleeve seams (NOTE: top of sleeve forms part of neck). With size 11 crochet hook work 2 rows of d.c. evenly around Jacket. 3rd ROW: Work picots around lace patt and d.c. on Moss st edges.

TO MAKE BUTTONHOLES: *4 ch, miss 2 d.c., 1 d.c. in 3rd d.c., 1 d.c. in next 5 d.c.* rep from *.

SLEEVE EDGE: 2 rows d.c. 3rd ROW: Work 4 picots around sleeve.

FROCK:

MATERIALS: 4 balls Patons Feathersoft Bri-Nylon 3 ply. 3 small buttons and ribbon.

MEASUREMENTS: To fit 17 (19) in chest. Length 13(15) ins. Sleeve seam 5½(7½) ins.

FRONT: Cast on with a selvedge edge 106(114) sts. Work same as for Jacket Back, (adding 4 extra lace patts or length required). Cont as in Jacket to NECK SHAPING: Cast off centre 8 sts. Working on right side only knit to correspond with Jacket Front. Knit other side to correspond reversing all shapings.

BACK: Cast on with a selvedge edge 106(114) sts. Work same as for Jacket Back (incl. extra rows) to row 6 after Armhole Shaping. BACK OPENING: Push half the sts furthest from carr into A pos by knitting off manually in waste yarn. Knit as for Jacket Back on rem sts. Knit other side to correspond reversing all shapings.

SLEEVES: Knit same as Jacket sleeves.

TO MAKE UP: Press lightly. Sew in sleeves (top of sleeve forms part of neck). Sew up side and sleeve seams. With No. 11 crochet hook work 2 rows d.c. round bottom of frock. 3rd ROW: Work 30 picots evenly around. NECK: Work 3 rows d.c. easing in neck and 3 rows d.c. round back opening with 3 button loops. SLEEVES: Finish off as Jacket.

PINK RAGLAN SLEEVE JACKET.

Pattern No. AU10-10.

MATERIALS: 2(3) balls Patons Baby Wool with Nylon 3 ply. 4 small buttons.

MEASUREMENTS: To fit 18 (20) in chest. Length 9½(10) ins. Sleeve seam 5¾(6) ins.

TENSION: T5.1 = 8 sts and 10½ rows to 1 in.

LEFT FRONT: Cast on in 1 x 1 rib 34(38) sts and work 16 rows. Transfer to Main Bed. R/C on 0. T5.1. Work 50(58) rows. SHAPE RAGLAN: R/C on 0. Cast off 5 sts at the beg of the next row on armhole edge. Dec 1 st at same edge on the next and every row 4 times and then on every alt row AND AT THE SAME TIME at Front edge on the 6th and every foll 6th row, until 3 sts rem. Dec at armhole edge on alt row to 1 st. Fasten off.

RIGHT FRONT: Work as Left front reversing all shapings.

BACK: Cast on in 1 x 1 rib 74(84) sts and work 16 rows. R/C on 0. Cont in st st T5.1, and knit to row 50(58). SHAPE RAGLANS: R/C on 0. Cast off 5 sts at the beg of the next 2 rows. Dec 1 st at ea end of the next 4 rows, then dec 1 st at ea end on every alt row until 22(26) sts rem. Cast off.

SLEEVES: Cast on in 1 x 1 rib 40(44) sts and work 16 rows. Take work off machine on waste yarn. Put work back onto machine increasing evenly across row to 49(53) sts. R/C on 0. On T5.1 knit inc ea end on every 4th row to 63(69) sts. Work to row 48(58) (or length required). RAGLAN SHAPING: R/C on 0. Cast off 5 sts at the beg of the next 2 rows, then dec 1 st at ea end of every row 4 times. Dec 1 st at ea end on every alt row until 9(9) sts rem. Cast off.

NECK BAND: Cast on in 1 x 1 rib 12 sts and work a buttonhole on the 4th, 20th, 36th and 52nd rows. Knit straight till band is length required (approx. 250 rows).

TO MAKE UP: Press lightly with a damp cloth. Sew in sleeves. Sew up side and raglan seams. Sew on front band and buttons. Embroider as illustrated.

SET-IN SLEEVE CARDIGAN

Pattern No. AU10-11.

MATERIALS: 2(3) balls Patons Baby Wool with Nylon.
4 small buttons.

MEASUREMENTS: To fit 18 (20) in. chest. Length 9½(10) ins. Sleeve length 6(7) ins.

TENSION: T5.1 = 16 sts and 21 rows to 2 ins.

PATTERN: NOTE: To transfer sts always count from right side of machine.

*Row 1. Knit.
2. Knit and every alt row knit.
3. K4, trans 5th to 6th, K3, 11th to 10th, K3, 15th to 16th, K3, 21st to 20th, K3, 25th to 26th, K3, 31st to 30th, K3.
5. K5, 6th to 7th, 10th to 9th, K5, 16th to 17th, 20th to 19th, K5, 26th to 27th, 30th to 31st, K4.
7. K6, 7th to 8th, 9th to 8th, K7, 17th to 18th, 19th to 18th, K7, 27th to 28th, 29th to 28th, K5.
8.9.10.11.12. rows all plain.
13. K9, 10th to 11th, K3, 16th to 15th, K3, 20th to 21st, K3, 26th to 25th, K8.
15. K10, 11th to 12th, 15th to 14th, K5, 21st to 22nd, 25th to 24th, K9.
17. K11, 12th to 13th, 14th to 13th, K7, 22nd to 23rd, 24th to 23rd, K10.
18.19.20.21.22. rows all plain.
23. K14, 15th to 16th, K3, 21st to 20th, K13.
25. K15, 16th to 17th, 20th to 19th, K15.
27. K16, 17th to 18th, 19th to 18th, K15.*

PATTERN (SLEEVE):

**Row 1. and all alt rows plain.
3. K21, 22nd to 23rd, K3, 28th to 27th, K21.
5. K22, 23rd to 24th, K1, 26th to 25th, K22.
7. K23, 24th to 25th, 26th to 25th, K23.**

LEFT FRONT: Cast on in 1 x 1 rib 34(38) sts and rib 16 rows. Transfer sts to main bed. R/C on 0. On T5.1 knit 27 rows of patt, then knit in st st to row 50(58). SHAPE ARMHOLE: R/C on 0. Carr on left. Cast off 4 sts at the beg of the next row, then dec 1 st at armhole edge on every row 4 times AT THE SAME TIME dec 1 st at front edge on the next and every foll 4th row to row 34, 17(21) sts. Knit 4 rows. SHAPE SHOULDER: Cast off 8(10) sts at the beg of the row. Knit 1 row. Cast off rem sts.

RIGHT FRONT: Work as left front reversing all shapings.

BACK: Cast on in 1 x 1 rib 74(84) sts and rib 16 rows. R/C on 0. On T5.1 knit in st st to row 50(58). SHAPE ARMHOLE: R/C on 0. Cast off 4 sts at the beg of the next 2 rows. Dec 1 st at ea end of the next 5 rows. 56(66) sts. Cont without shaping to row 38. SHAPE SHOULDERS: Cast off 8(10) sts at the beg of the next 4 rows. Cast off rem 24(26) sts.

SLEEVES: Cast on in 1 x 1 rib 40(44) sts and rib 16 rows. Take off machine on waste yarn. Put back onto machine inc evenly across row to 49(53) sts. R/C on 0. On T5.1 inc 1 st at ea end on every 12th row to 57(61) sts. Knit to row 52(64). SHAPE ARMHOLE: R/C on 0. Dec 2 sts at the beg of the next 2 rows, then dec 1 st at ea end of the next and every alt row until 41(43) sts rem. Then dec 1 st at ea end of every row until 15(17) sts. rem. Cast off.

FRONT BAND: Cast on in 1 x 1 rib 15 sts. Work buttonholes on the 4th, 20th, 36th and 52nd rows. Cont ribbing till length required (approx 260 rows).

MAKE UP: Press lightly. Sew in sleeves. Sew up sleeve and side seams. Sew band in position. Sew on buttons to match buttonholes.

SHORT SLEEVE CARDIGAN

Pattern No. AU10-12.

MATERIALS: 1 ball Patons Baby Wool & Nylon 3 ply MC.
2 balls Patons Baby Wool & Nylon 3 ply CC.
5 buttons.

MEASUREMENTS: To fit 19 (21) in. chest.
Length 10(11) ins. Sleeve length 1¼ ins.

TENSION: T5.1 = 8 sts and 11 rows to 1 in.

RIGHT FRONT: Cast on for 1 x 1 rib 39(43) sts. Knit 14 rows rib in CC. Transfer sts to main bed. R/C on 0. On T5.1 knit in patt thus — *2 rows MC, 2 rows CC.* Knit to row 55(65), then inc 1 st at armhole edge on the next 5 rows. Then cast on 3 sts at same edge. Knit 4 rows. Inc 1 st on the next and foll 4th row, knit 4 rows. NEXT ROW: *Inc 1 st at armhole and dec 1 st at front edge, knit 4 rows.* Rep from * to * 5 times more. NEXT ROW: Dec 1 st at front edge. SHOULDER SHAPING: Cast off 5 sts at the beg of every alt row to 9(13) sts. Cast off rem sts.

LEFT FRONT: Work as right front reversing shapings.

BACK: Cast on in 1 x 1 rib 83(87) sts. Rib 14 rows in CC. Transfer sts to main bed. R/C on 0. On T5.1 work in patt to row 55(65). Inc 1 st at ea end on every row 5 times. Cast on 3 sts at the beg of the next 2 rows. Knit 4 rows. Inc 1 st at ea end of the next and every foll 4th row to 115(119) sts. Knit 2 rows. SHOULDER SHAPING: Cast off 5 sts at the beg of the next 14 rows; 12 st on the next 2 rows. Cast off rem 21(25) sts.

BAND: Cast on 8 sts in 1 x 1 rib and rib length required, putting buttonholes on rows 4, 22, 40, 58 and 76.

TO MAKE UP: Sew up shoulders. Pick up 60 sts from cuff and arrange for 1 x 1 rib. Rib 8 rows and cast off. Sew up side seams. Sew on bands. Sew on buttons to match buttonholes. Press lightly.

MATINEE JACKET

Pattern No. AU10-13.

MATERIALS: 4 balls Patons Feathersoft, 3 small buttons.

MEASUREMENTS: To fit 18 (20) in chest.

Length 11½(12½) ins. Sleeve 6 (7) ins.

TENSION: T5.2 = 8 sts and 12¾ rows to 1 in. (Check.)

LEFT FRONT: Bring up 28(32) needles at left and 25(25) needles at right of 0. Cast on in waste yarn and knit 4 rows. Using main yarn knit 3 rows; make row of picot holes, knit 3 rows and close hem. R/C on 0. Keeping **10(14)** sts plain at left side edge then (8 sts in patt, 8 sts plain) twice, 8 sts in patt and 3 sts plain for front edge, cont in patt thus —

1. Press button 5, Lacemaker, L to R. Knit 2 rows.
2. Press button 6, Lacemaker, L to R.
3. Press button 4, Lacemaker, R to L. Knit 2 rows.
4. Press button 7, Lacemaker, L to R.
5. Press button 3, Lacemaker, R to L. Knit 2 rows.
6. Press button 2, Lacemaker, R to L. Knit 2 rows.
7. Press button 3, Lacemaker, L to R.
8. Press button 1, Lacemaker, R to L. Knit 2 rows.
9. Press button 4, Lacemaker, L to R.
10. Press button 8, Lacemaker, R to L. Knit 2 rows.

Rep these 12 rows 7(8) times more. Cont in patt SHAPE ARMHOLE: Cast off 2 sts at armhole edge, then dec 1 st at the same edge every row 5 times. Take work off machine on waste yarn. Bring up 34 (36) needles, turn work and put back onto machine dec evenly across. R/C on 0. Work in patt thus — *Slide dial on 1, press buttons 1.5, set lever, cams on 111(KH91) on 2(KH600) knit 3 rows; cams on 1 (KH91) on 3(KH600) knit 1 row. Slide dial on 3, set lever, cams on 111(KH91) on 2(KH600) knit 3 rows; cams on 1(KH91) on 3(KH600) knit 1 row.* Rep from * to * to row 48. SHAPE NECK: Cast off at neck edge 10 sts once, then 1 st every alt row 5 times. Cont in patt for 12 rows. SHAPE SHOULDER: Cast off 10 sts at armhole edge once, then rem sts on foll 4th row.

RIGHT FRONT: Bring up 29(33) at left and 24(24) at right of 0. Work as left front reversing the patt thus — 10(14) sts plain at right edge and 3 sts on left edge.

BACK: Bring up 52(56) needles at left and 56(60) at right of 0. Work picot hem as Front. R/C on 0. Keeping 10(14) sts plain at ea end and every alt 8 sts in patt across row, work lace patt as front to same row to armhole. Cast off 2 sts at the beg of the next 2 rows; Dec 1 st at ea end of the next 5 rows. Take off machine on waste yarn. Bring up 62(66) needles. Turn work and put back on machine dec evenly across. Work yoke patt as front to row 70. SHAPE SHOULDERS: Cast off 10 sts at the beg of the next 2 rows, then 9(11) sts on the foll 4th row. Cast off rem sts on foll 4th row. SLEEVES: Using waste yarn cast on 38 sts. With main yarn work picot hem as for front. Take off machine on waste yarn, turn work and knit yoke patt for 16 rows. Take work off again, turn and put back on machine inc 4(6) sts across. R/C on 0. Cont in st st inc 1 st ea end of every 4th row to 52 (54) sts. Cont straight to row 58(70). SHAPE TOP: Cast off 2 sts at the beg of the next 2 rows. Dec 1 st at ea end of every alt row to 14 sts. Cast off..

TO MAKE UP: Join shoulder seams. Beg at lower edge of Jacket, wrong side facing, pick up abt 110(120) sts to centre back. On T4.1 work picot hem as in front. Work other side to match and join at centre back neck. Fold in half and slip st in pos. Sew in sleeves; join side and sleeve seams. Make button loops on yoke and sew on buttons.

BLUE & WHITE FAIR ISLE JACKET

Pattern No. AU10-14.

See photograph Pattern No. AU10-15.

MATERIALS: 2 balls Patons Baby Wool with Nylon 3 ply White.
2 balls Patons Baby Wool with Nylon 3 ply Blue.
5 buttons.

MEASUREMENTS: To fit 18(20) in chest. Length 10½(11½) ins. Sleeve 6(7) ins.

TENSION: T5.1 = 8 sts and 10½ rows to 1 in. (Check.)

LEFT FRONT: Using white cast on 37(41) sts for 1 x 1 rib. Work 10 rows, inc 1 st at end on last row.

Transfer sts to main bed. On T5.1 R/C on 0. Knit in Fair Isle thus — *Knit 2 rows of blue. 3rd row: 2 blue (2 white 2 blue) to end. 4th row: As 3rd row.* Rep these 4 rows until row 66(74). Dec 1 st at side edge in next row and on every alt row to 33(35) sts. Cont straight to row 86(96). Cast off at neck edge 12 sts once, then 1 st on every alt row 3 times. Cont straight to row 98(108). Cast off.

RIGHT FRONT: Work to match left front reversing all shapings.

BACK: Using white cast on 77(85) sts for 1 x 1 rib. Work 10 rows inc 1 st at end of last row. Transfer sts. R/C on 0. On T5.1 cont in patt as front to armhole. Dec 1 st ea end of the next and every alt row to 68 (74) sts. Cont straight to row 98(108). Cast off.

SLEEVES: Using white cast on 37(37) sts for 1 x 1 rib. Work 8 rows, inc 1 st at end of last row. Transfer sts. R/C on 0. On T5.1 cont in patt as for front. Keeping continuity of patt inc 1 st at ea end of every 6th row to 52(56) sts. Cont straight to row 54(64). Dec 1 st at ea end of the next and foll alt row to 44 (46) sts. Cast off.

BUTTON BAND: Using White cast on 11 sts and work 9¼(10¼) ins in 1 x 1 rib. Take work off machine on waste yarn.

BUTTONHOLE BAND: Using White work as button band making buttonholes ¼ ins from beg and 3 more 2¼(2½) ins apart. To make buttonhole cast off 5th and 6th sts from front edge. Take work off machine on waste yarn.

NECK BAND: Join shoulder seams. Sew on front bands, having buttonhole band on right side for girl and left for boy. Wrong side facing, pick up front band sts, then 56(58) sts round neck edge, then other front band. Knit 1 row. Then arrange for 1 x 1 rib and work 6 rows of rib making a button hole in 3rd row. Cast off in rib.

TO MAKE UP: Sew in sleeves; join side and sleeve seams. Press lightly with warm iron and a damp cloth. Sew on buttons.

FAIR ISLE JACKET

Pattern No. AU10-15.



MATERIALS: 5(5) balls Patons Baby Wool with Nylon 3 ply. MC.
1(1) ball Patons Baby Wool with Nylon 3 ply. CC.
4 small buttons.

MEASUREMENTS: To fit 18 (20) in chest. Length 10½(11¼) ins. Sleeve seam 6(7) ins.

TENSION: T5.1 = 8 sts and 10½ rows to 1 in. (check your machine).

NOTE: Needles for Fair Isle patt have to be arranged manually ea row.

RIGHT FRONT: Using CC. cast on 59(65) sts and knit 1 row. With MC. knit 1 row.
3rd Row: 7MC. (1CC. 5MC) to the last 4 sts 1CC., 3MC.
4th Row: 2MC. (1CC., 1MC., 1CC., 3MC.) to last 9 sts 1CC., 1MC., 1CC., 6MC.
5th Row: 5MC., (1CC., 3MC., 1CC., 1MC.) to end.
6th Row: 3MC., (1CC., 5MC.) to last 8 sts 1CC., 7 MC.
7th Row: 6MC. (3CC., 3MC.) to last 5 sts, 3CC., 2MC.
8th Row: as 6th row.
9th Row: MC.
10th and 11th Rows: CC.

Cont in MC. and st st to row 68(70). Take work off machine on waste yarn. Bring up 42(46) needles, turn skirt and replace on machine dec evenly across. R/C on 0. Cont in patt thus — Cams on 111(KH91) on 2 (KH600). Press buttons 2.4, set lever, knit 4 rows. Cams on 1(KH91) on 3(KH600) knit 4 rows. Rep these 8 rows for yoke, AT THE SAME TIME cast off 4(5) sts at armhole edge on the next row, then dec 1 st every row to 44(46) sts. Cont in patt to row 32(40). SHAPE NECK: Cast off 8 sts once, then 1 st every row to 19(21) sts. Cont straight to row 54(56). SHAPE SHOULDERS: Cast off 9(10) sts at armhole edge once, then rem sts on alt row.

LEFT FRONT: Work as right front reversing shapings and Fair Isle Patt.

BACK: Using CC. cast on 115(129) sts and knit 1 row. With MC. knit 1 row.
3rd Row: 3MC. (1CC., 5MC.) to last 4 sts 1CC., 3MC.
4th Row: 2MC. (1CC., 1MC., 1CC., 3MC.) to last 5 sts 1CC., 1MC., 1CC., 2MC.
5th Row: 1MC., (1CC., 3MC., 1CC., 1MC.) to end.
6th Row: 3MC. (1CC., 5MC.) to last 4 sts, 1CC., 3MC.
7th Row: 2MC., (3CC., 3MC.) to last 5 sts, 3CC., 2MC.
8th Row: As 6th row.
9th Row: MC.
10th and 11th Rows: CC.

Cont in MC. and st st to row 68(70). Take work off machine on waste yarn. Bring up 80(88) needles, turn skirt and replace on machine dec evenly across. R/C on 0. Cont in patt as in Fronts. SHAPE ARMHOLE: on 9th row. Cast off 4(5) sts at the beg of the next 2 rows, then dec 1 st every row to 64(68) sts. Cont to row 54(56). SHAPE SHOULDERS: Cast off 9(10) sts at the beg of the next 2 rows, and 10(11) sts on the foll 2 rows. Cast off rem sts.

SLEEVES: Using MC. cast on 41(43) sts for 1 x 1 rib. Rib 1 in. R/C on 0. Cont in st st inc 1 st ea end of the next row and foll 4th rows to 57(63) sts. Cont straight to row 52(62). SHAPE TOP: Cast off 2(3) sts at beg of the next 2 rows. Dec 1 st ea end of the next and foll alt rows to 39(41) sts then ea end of every row to 13 sts. Cast off.

COLLAR: Using CC. cast on 91 sts and knit 1 row. Knit 1 row MC. Cont in Fair Isle patt as Back to end of 9th row. Knit 1 row MC. Tighten tension 3 points and knit 3 rows. Cast off.

TO MAKE UP: Join shoulders; sew in sleeves; join side and sleeve seams. Sew on collar placing cast off edge to neck edge. Work 2 rows of d.c. around edge of jacket and collar, then 1 row of d.c. working backwards from right to left making button loops on yoke. Sew on buttons.

JACKET WITH HOOD

Pattern No. AU10-16 — Back Cover

MATERIALS: 6 balls SIRDAR double crepe.
Press studs. 8 buttons.

MEASUREMENTS: To fit 19 in chest. Actual meas. 20½ ins. Length 12 ins. Sleeve seam 5½ ins.

TENSION: T9.2 = 6 sts and 8 rows to 1 in over st st.
T8 = 5½ sts and 13 rows to 1 in over patt.

PATTERN: Carr on the right. Press in left Tuck button. Reverse switch on plus. Press buttons 1.3.5.7. Set lever and knit 2 rows. Reverse switch on minus. Set lever and knit 2 rows. Rep for pattern.

BACK: With selvedge edge cast on 86 sts. On T8 knit 7 rows of st st. Change to patt and work 8 rows. R/C on 0. On T9.2 cont in st st dec 4 sts across the 7th and every foll 6th row 6 times altog thus —
7th Row: Working from edge to centre on both sides place the 15th st on to the 14th st moving needles up to fill empty spaces. Dec 1 st at ea end. (82) sts.
13th Row: As 7th row but placing the 14th st onto the 13th needle (78) sts.
19th Row: As 7th row but placing the 13th st onto the 12th needle.
Cont in this manner until 62 sts rem, then work straight to 56 rows. R/C on 0. SHAPE RAGLANS: Cast off 2 sts at the beg of the next 2 rows. Dec 1 st ea end of the next and foll alt rows until 22 sts. Take work off on waste yarn.

LEFT FRONT: Cast on 48 sts and work hem and patt strip as Back. R/C on 0. On T9.2 cast on 2 sts at front edge and work 1 row. Place 14 sts at front edge onto waste yarn. Cont in st st on rem 36 sts, dec 2 sts on the 7th and every foll 6th row as left half back until 24 st rem. Cont straight to 57 rows. R/C on 0. SHAPE RAGLAN: Cast off 2 sts at the beg of the next row. Knit 1 row. Dec 1 st at the beg of the next and every alt row until 7 sts rem. (30) rows. SHAPE NECK: Dec 1 st ea end of the next and foll alt row, then at armhole edge only on next alt row (2 sts). Knit 2 tog. Fasten off.

RIGHT FRONT: As Left Front, reversing shapings and pos of front band.

SLEEVES: Cast on 32 sts and knit 1¼ ins 2 x 2 rib. R/C on 0. On T9.2 work in st st, inc 1 st at ea end of 5th and every foll 4th row until 42 sts. Cont straight to 34 rows. SHAPE RAGLANS: R/C on 0. Cast off 2 sts at the beg of the next 2 rows, then dec 1 st at ea end of the next and every foll 4th row until 30 sts, then every alt row until 10 sts rem. Take off on waste yarn.

FRONT BANDS: On T8 place 14 sts onto machine and work in patt until band fits up front to neck shaping. Take off on waste yarn.

NECKBAND: Join bands to front, then turn under 2 sts along front edges and slip st in place fastening off 2 sts at the top. Sew in Raglan sleeves. Pick up 12 sts from right front band, 8 sts up right neck, 10 sts across right sleeve, 22 sts across back neck, 10 sts across left sleeve, 8 sts down left neck and 12 sts across left band (82) sts. Work 3 rows 2 x 2 rib. Cast off loosely in rib.

TO MAKE UP: Press on wrong side with warm iron and a damp cloth. Join side and sleeve seams. Turn hem at lower edge to inside and slip st in place. Sew press studs in place — the 1st just below neck rib, the rest spaced 2 ins apart, lapping right band over left (4 prs press studs). Sew buttons on outside over press studs.

HOOD: On T9.2 cast on 16 sts with a selvedge edge. Inc 1 st at the beg of every alt row until 24 sts then cont straight to 81 rows. Dec 1 st at the beg of the next and every alt row until 16 sts. Knit 1 row and cast off.

FACE BAND: On T8.Cast on 14 sts with a selvedge edge. Knit 1 row, then work in patt until band fits snugly around face. Cast off.

TO MAKE UP: Fold st st fabric in half crosswise, join shaped edge up to fold. Flat st band to front edge, Turn 2 sts inside along front edge patt and slip st in place. Press lightly. Attach hood to neck edge, leaving front bands of coat free.

Empisal

*An Empisal Publication: World Copyright by Empisal International

Photography by IAN MORGAN
Produced by IMIN PRODUCTIONS.



Empisal

Pattern Book AU 10

Pattern No. AU10-16   See Page 20